

Online UPS Single Phase Input / Single Phase Output

Capacity

1 Kva to 3 Kva

Standard Size :

H 22" x L 18" x W 16"



**Cabinet Size Can Vary according
to the Capacity of UPS*

flickcet 

Online UPS Single Phase Input / Single Phase Output



Capacity

10 Kva to 12 Kva

Standard Size :

H 26" x L 26" x W 16"

**Cabinet Size Can Vary according
to the Capacity of UPS*



Online UPS Three Phase Input / Three Phase Output



*Capacity
40 Kva to 80 Kva*

*Standard Size :
H 60" x L 30" x W 30"*

**Cabinet Size Can Vary according
to the Capacity of UPS*

flickcet  [®]

Servo Voltage Stabilizer Air Cooled Single Phase

Capacity

5 Kva to 7.5 Kva

Standard Size :

H 12" x L 20" x W 12"



**Servo Cabinet Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Air Cooled Single Phase

Capacity

10 Kva to 20 Kva

Standard Size :

H 13" x L 22" x W 16"



**Servo Cabinet Size Can Vary according
to the Input voltage range*

flickcet  [®]

Servo Voltage Stabilizer Air Cooled Single Phase



Capacity

20 Kva to 30 Kva

Standard Size :

H 22" x L 18" x W 16"

**Servo Cabinet Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Air Cooled Three Phase



Capacity

20 Kva to 50 Kva

Standard Size :

H 48" x L 24" x W 24"

**Servo Cabinet Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Oil Cooled Three Phase



With Inbuilt Bypass

Capacity

20 Kva to 60 Kva

Standard Size :

H 30" x L 36" x W 30"

**Servo Tank Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Oil Cooled Three Phase

With Inbuilt Bypass

Capacity

30 Kva to 40 Kva

Standard Size :

H 26" x L 36" x W 22"



**Servo Tank Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Oil Cooled Three Phase

With Inbuilt Bypass

Capacity

60 Kva to 80 Kva

Standard Size :

H 30" x L 41" x W 26"



**Servo Tank Size Can Vary according
to the Input voltage range*

flickcet  [®]

Servo Voltage Stabilizer Oil Cooled Three Phase



Capacity

90 Kva to 125 Kva

Standard Size :

H 42" x L 41" x W 20"

**Servo Tank Size Can Vary according
to the Input voltage range*

flickcet 

Servo Voltage Stabilizer Oil Cooled Three Phase



With Inbuilt Bypass

Capacity

125 Kva to 150 Kva

Standard Size :

H 42" x L 60" x W 36"

**Servo Tank Size Can Vary according
to the Input voltage range*

flickcet 

Electrical Panels



**Panels Size may vary according to the capacity*

*Main LT Panel / PCC (Power Control Center) / Auto/Mannual Synchronising / Load Sharing Panels
AMF Panels / MCC (Motor Control Center) / Control and Relay Panel / Control Desk & Mimic Panels
Intelligent Switchboards with Computer & BMS Interface / Capacitor Panels / Feeder Pillar /
Meter Board / Main Distribution Board (MDB) / Bus Ducts & Rising Mains*

flickcet  [®]